## **Naval Research Laboratory**

Stennis Space Center, MS 39529-5004



NRL/MR/7430--04-8844

# Compilation of Data Sources Used to Construct Mine Warfare Data Bases for the Northern Arabian Sea, Celebes Sea, and Makassar Strait

W. CHAD VAUGHAN

Seafloor Sciences Branch Marine Geosciences Division

Frederick A. Bowles

Omni Technologies, Inc. New Orleans, LA

LISA PHELPS

University of Southern Mississippi Department of Geography Hattiesburg, MS

December 27, 2004

20050214 040

Approved for public release; distribution is unlimited.

### **REPORT DOCUMENTATION PAGE**

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From - To)
27-12-2004	Memorandum Report	
4. TITLE AND SUBTITLE	5a. CONTRACT NUMBER	
Compilation of Data Sources Used to C Northern Arabian Sea, Celebes Sea, and	5b. GRANT NUMBER	
rvordiem rradian dea, ecredes dea, and	5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)		5d. PROJECT NUMBER
W. Chad Vaughan, Frederick A. Bowles	5e. TASK NUMBER	
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME	(S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION REPORT NUMBER
Naval Research Laboratory Marine Geosciences Division Stennis Space Center, MS 39529-5004	NRL/MR/743004-8844	
9. SPONSORING / MONITORING AGENC	Y NAME(S) AND ADDRESS(ES)	10. SPONSOR / MONITOR'S ACRONYM(S)
Naval Oceanographic Office		NAVO
Stennis Space Center, MS 39529		11. SPONSOR / MONITOR'S REPORT NUMBER(S)
12. DISTRIBUTION / AVAILABILITY STAT	EMENT	

Approved for public release; distribution is unlimited.

#### 13. SUPPLEMENTARY NOTES

\*Omni Technologies, Inc., New Orleans, LA

†University of Southern Mississippi, Department of Geology, Hattiesburg, MS

#### 14. ABSTRACT

The purpose of this report is to document the data sources that were used to construct maps and digital databases of bottom-sediment type for the Northern Arabian Sea, Celebes Sea, and Makassar Strait (see the attached figures showing the approximate boundaries of the mapped areas).

#### 15. SUBJECT TERMS

Sediment maps; Mine warfare; Database; Arabian Sea; Celebes Sea; Makassar Strait

16. SECURITY CLASSIFICATION OF:		17. LIMITATION 18. NUMBER 19a. NAME OF RESPONSIBLE OF ABSTRACT OF PAGES W. Chad Vaughan		19a. NAME OF RESPONSIBLE PERSON W. Chad Vaughan	
a. REPORT	b. ABSTRACT	c. THIS PAGE	] տւ	17	19b. TELEPHONE NUMBER (include area
Unclassified	Unclassified	Unclassified			<sup>code)</sup> 228-688-5369

### **CONTENTS**

OBJECTIVE	1
APPROACH	1
DISCUSSION	2
NORTHERN ARABIAN SEA	2
NIMA Charts	2
CELEBES SEA - MAKASSAR STRAIT	6
NIMA Charts - Celebes Sea	6 6
References of Marginal of 140 Osc	U

### Compilation of Data Sources Used to Construct Mine Warfare Data Bases for the Northern Arabian Sea, Celebes Sea, and Makassar Strait

### **Objective**

The purpose of this report is to document the data sources that were used to construct maps and digital databases of bottom-sediment type for the Northern Arabian Sea, Celebes Sea, and Makassar Strait (see the attached figures showing the approximate boundaries of the mapped areas).

### Approach

The following is a brief outline of the approach used to construct bottom-sediment maps for each region. For a more detailed discussion see Bowles and Phelps (1999; Naval Research Laboratory Report NRL/MR/7432—99-8223).

- 1. National Imagery and Mapping Agency (NIMA) nautical charts are used as the working (base) charts for each region. These charts are readily available from the NAVOCEANO library and feature bottom sediment data in addition to bathymetric data and coastlines.
- 2. An extensive literature and institutional search is performed to identity and acquire existing bottom-sediment data in each region. These data are in the form of point data (core, dredge, grab samples) with associated sediment-type descriptors, or existing sediment-type boundary maps.
- 3. As data is acquired, it is carefully assessed, geo-referenced (in the case of existing sediment maps) and transferred to the base charts. Once all the data is transferred, boundaries are drawn around the point data designating areas (provinces) of similar sediment type. These province boundaries are then merged with the boundaries from existing sediment maps.
- 4. Upon completion of the maps, the information on each map is digitized. The digitized information consists of separate files for land boundaries, sediment-province boundaries, and point data. The point data files consist of individual files for sand, silt, clay, rock, etc. The sediment nomenclature used to identify bottom type follows the enhanced "200 Categories" set defined in the current NAVOCEANO Master Sediment Tables.

Manuscript approved November 29, 2004.

#### Discussion

It should be noted that the primary difficulties encountered in mapping the regions below are (1) poor sample density, and (2) difficulty in obtaining foreign data in a reasonable timeframe, if at all. Moreover, it is difficult to know which foreign publications to acquire. Many that where obtained did not contain useful information (e.g., core locations with descriptions or analyses, sediment-province maps,). Therefore, it is difficult to assess whether the time invested in acquiring all the foreign data would result in significant improvements to the present sediment-province maps.

#### NORTHERN ARABIAN SEA

#### **NIMA Charts**

62353	62310	62093	92040
62350	62306	62092	
62344	62302	62091	
62342	62302(plan)	62091(plan)	
62340	62105	62090	
62330	62100	62080	
62320	62098	62070	
62313	62097	62050	
62312	62094	62046	

### **References (journals, reports)**

Bode, G.W. 1972. Appendix 1, Grain Size Analyses, Leg 23 Deep-Sea Drilling Project Proceedings, 1127-1130.

Einsele, R. 1967. Sedimentary processes and physical properties of cores from the Red Sea, Gulf of Aden, and off the Nile Delta, in: Marine Geotechnique, ed. A. Richards, University of Illinois Press, 154-169.

Einsele, G., and Werner, F. 1968. Zusammensetzung, Gefüge und mechanische Eigenschaften rezenter Sedimente vom Nildelta, Roten Meer und Golf von Aden, *Meteor Forschungsergebn*, (C), 1, 21-42.

Einsele, G. and Werner, F. 1972. Sedimentary processes at the entrance of Gulf of Aden and Red Sea, *Meteor Forschungsergebn*, (D), 10,39-62.

Kolla, V., and Kidd, R.B. 1982. Sedimentation and sedimentary processes in the Indian Ocean, In: the Ocean basins and margins, vol. 6: The Indian Ocean, ed. Narin, A.E.M. and Stehli, F.G., Plenum Press, 776p.

Letourneau, N.J. 1992. Characterization of the bottom sediment velocity-depth relationship for the Somali Basin and Arabian Sea, Naval Oceanographic Office, TR 306, Stennis Space Center, 75 p.

Pelet, R., et.al. 1980. La géochimie organique des sédiments marins profonds. Mission Oregon 4, 1978, (Golfe d'Aden, Mer d'Oman). Géneralites et résultats obtenus a la mer. *Rev. Int. Fr. Pet.*, 35, 773-787.

Popov, V.P. and Gershanovich, D.YE. 1978. Terriginous-mineralogical provinces of recent bottom sediments on the continental margins in the Arabian Sea and the Gulf of Aden, *Oceanology*, 18(2),177-180.

Ross, D. A. and Stoffers, P. 1978. Report C: General data on bottom sediments including concnetration of various elements and hydrocarbons in the Persian Gulf and Gulf of Oman. Report D: General Data on the Geophysical nature of the Persian Gulf and Gulf of Oman, Woods Hole Oceanographic Institution Report, WHOI-78-39, 107p.

Stänicke, J. and Schneider, W. 1983. Holocene sediments in the Gulf of Tadjura (Gulf of Aden), *Thalassas*, 1, 41-48.

Stewart, N. 1987. Proceedings of the Ocean Drilling Program, Vol. 117 initial reports, Oman Margin/Neogene Package, Ocean Drilling Program, 1236p.

Stewart, R.A. and Pilkey, O.H. 1966. Sediments of the Northern Arabian Sea, U.S. Naval Oceanographic Office, Technical Report, TR-186, Washington, D.C., 28p.

World Data Center for Marine Geology and Geophysics. Index to Marine Geological Samples Database. National Geophysical Data Center, Boulder, CO.

### References of Marginal or No Use

Al-Shanti, A.M. and Sultan, G.H. 1966. Report on Umm Lajj coastal sediments Saudi Arab. Dir. Gen. Mineral Resour. Open File Rep., (281) 18pp.

Bäcker, H. 1975. Exploration of the Red Sea and Gulf of Aden during the M.S. *Valdivia* cruises Erzschlamme A and Erzschlamme B, *Goel. Jahrb.*, (D), 13, 79-123.

Bagnold, R.A. 1951. Sand formations in Southern Arabia. *Geogr. J.*, 117, 78-85.

Bloemandal, J., et.al. 1992. Rock Magnetism of Late Neogene and Pleistocene Deep-Sea Sediments: Relationship to sediment source, diagenetic processes, and sediment lithology, *Journal of Geophysical Research*, 97 (B4), 4361-4375.

Collier, J.S. and White, R.S. 1990. Mud Diapirism within Indus fan sediments: Murray Ridge, Gulf of Oman, *Geophys. J. Int.*, 101, 345-353.

Esquevin, J. and Sourisse, C. 1981. Géochimie minérale des sediments. In: Géochimie organique sed sédiments marins profonds. OREGON 4. Golfe d'Aden, Mer d'Oman, Novembre 1978. CEPMCNEXO, 357-372.

Faugeres, J.C. and Onthier, E. 1981. Les argiles des sediments marins du Quaternaire Recent dans le Golfe d'Aden et la Mer d'Oman. *Oceanol. Acta*, 4, 395-399.

Heezen, B.C., et al. 1965. Découverte d'attapulgite dans les sediments profonds de Golfe d'Aden et de la Mer Rouge. *C.R. Hebd Séances Acad. Sci. Paris*, 260, 5819-5821.

Institute of Oceanographic Sciences, U.K. 1980. RRS *Discovery* cruise 103, 9-25 July 1979. Geology and geophysics in the Gulf of Aden and Red Sea. *Cruise Rep Inst. Oceanogr. Sci. Wormly*, (88), 23 pp.

Karisiddaiah, S. M. and Veerayya, M. 1994. Methane-bearing shallow gas-charged sediments in the eastern Arabian Sea: a probable source for greenhouse gas, *Continental Shelf Reserch*, 14 (12), 1361.

Lallier-Vergés, E. et.al. 1993. Organic Matter composition and sulfate reduction intensity in Oman Margin sediments, *Marine Geology*, 112, 57-69.

Lúckage, A. *et.al.* 1996. Comparative study of organic matter preservation in immature sediments along the continental margins of Peru and Oman. Part I: Results of petrological and bulk geochemical data, *Org. Geochem.*, 24 (4), 437-451.

Nath, B.N., et. al. 1997. Trace and rare earth elemental variation in Arabian Sea sediments through a transect across the oxygen minimum zone, *Geochimica et cosmochimica acta*, 61 (12), 2375.

Nikiforov, L.G., and Korotaev, V.N. 1982. Geomorphology of shores and the floor of the northern part of the Gulf of Aden, In: The problems of geomorphology lithology and lithodynamics of the shelf, Moscow, 222-227.

Passier, H.F., et.al. 1997. Early diagenesis and sulphur speciation in sediments of the Oman Margin, northwestern Arabian Sea, Deep-sea Research. Part II, Topical Studies in Oceanography, 44(6-7), 1361.

#### **CELEBES SEA – MAKASSAR STRAIT:**

### **NIMA Charts - Celebes Sea**

92280	92200	72143
92270	92190	72142
92260	92180	72142(plan)
92240	92170	72141
92230	92170(plan)	72130
92220	92101	<u>72120</u>
92216	73012	92242-plans A,B,C
92214	72173	73341-plan A
92210	72150	73341-plan J (includes plans B-H, K)
		73441-plan L (includes plans M, N)

### **NIMA Charts - Makassar Strait**

72186	72085
72181	72084
72171	72084(plan)
72131(plan)	72080
72110	72075
72109	72070
92109(plans	A,B)
72107	
72105	
72103	
72101	
72100	

### **References (journals, reports)**

Anonymous, 1976. Occurrence of zircon and rutile in beach sands of East Kalimantan, Indonesia. From document CCOP (XII)/34. Proceedings of the 12<sup>th</sup> session of the Committee for Coordination of Joint Prospecting for Mineral Resources in Asian Offshore Areas.

Boichard, R., Burollet, P. F., Lambert, B., and Villian, J-M., 1985. La plateforme carbonatee du Pater Noster. In: Notes et Memoires, No, 20, TOTAL, Compagnie Française des Petroles, Paris, 103p.

De Rooij, E. and van Bruijnsvoort, S., 1996. Data report of the field campaign in southwest Sulawesi – study of the hydrodynamics and related sediment transport in the nearshore zone near Ujung Pandang, January-April 1997. Department of Physical Geography, Utrecht University, The Netherlands.

Eisma, D., Kalf, J., Karmini, M., Mook, W. G., van Put, A., Bernard, P., and van Grieken, R., 1989. Dispersal of suspended matter in Makasar Strait and the Flores Basin. Netherlands Journal of Sea Research, 24(4) 383-398.

Faugeres, J-C., Gayet J., and Gonthier. E., 1989. Microphysiographie des depots quaternaries dans le Detroit de Makassar (ocean Indien). Opposition entre une marge stable (Borneo, Kalimantan) et une marge active (Celebes, Sulawesi.

Mammerickx, J., Fisher, R. L., Emmel, F. J. and Smith, S. M., 1976. Bathymetry of the east and southeast Asian Seas. Geological Society of America MC-17.

National Intelligence Survey, 1967. South China Sea and seas of the Malay Archipelago. Bottom sediments, southwest sheet, figures 36, 38, 41 and 42.

Need, G. A., Jr., 1943. The composition and distribution of the samples. In: The Snellius Expedition in the eastern part of the Netherlands East-Indies 1929-1930. Vol. V. General Results, Part 3, Section II, 268 p. Oceanographis Attlas N.P. 616, 1969. Java Sea and adjacent waters. Hydrographic Department H. D. 562(3), 23p.

Sydow, J. C., 1996. Holocene to late Pleistocene stratigraphy of the Mahakam Delta, Kalimantan, Indonesia. Ph.D. Dissertation, Louisiana State University, Baton Rouge. 170p.

World Data Center for Marine Geology and Geophysics. Index to Marine Geological Samples Database. National Geophysical Data Center, Boulder, CO.

### **References of Marginal or No Use**

Allen, G. P., Laurier, D., and Thouvenin, J., 1976. Sediment distribution patterns in the modern Mahakam Delta. Proceedings Indonesian Petroleum Association, Fifth Annual Convention, June 1976

Allen, G. P., Laurier, D., and Thouvenin, J., 1979. Etude sedimentologique du delta de la Mahakam. In: Notes et Memoires, No. 15, TOTAL Compagnie Française des Petroles, Paris, 156p.

Caratini, C. and Tissot, C., 1988. Paleogeographical evolution of the Mahakam Delta in Kalimantan, Indonesia during the Quaternary and Late Pliocene. Review of Palaeobotony and Palynology, 55, 217-228.

Combaz, A. and De Matharel, M.. 1978. Organic sedimentation and genesis of petroleum in Mahakam Delta. American Association of Petroleum Geologists Bulletin, 62(9), 1684-1695.

Carbonel, P. and Moyes, J., 1987. Late Quaternary paleoenvironments of the Mahakam Delta (Kalimantan, Indonesia). Palaeogeography, Palaeoclimatoloty, Palaeoecology, 61, 265-284.

Eisma, D., 1990. Dispersal of Mahakam River suspended sediment in Makasar Strait, Indonesia. In: Facets of Modern Biochemistry, 127-146.

Gastaldo, R. A. and Huc, A-Y., 1992. Sediment facies, depositional environments, and distribution of phytoclasts in the Recent Mahakam River Delta, Kalimantan, Indonesia. Palaios, 7, 574-590.

Hantoro, W. S., Handayani, L., Narulita, I. And Suprijanto, D., 1966. Tectonic and climatic influences to the spatial and temporal development of coral reef limestone in Indonesian maritime islands: Assessment on Quaternary coastal evolution. Proceedings of the 32<sup>nd</sup> Annual Session of the Coordinating Committee for Coastal and Offshore Geoscience Programmes in East and Southeast Asia (CCOP), 143-158.

Laggoun-Defarge, F., Pradier, B., Brosse, E., Belin, S., and Oudin, J-L., 1995. Analyse microtexturale des sediments organiques du delta de la Mahakam (Indonesie). Relations avec les environnements de depot.

Comptes Rendus de l' Academie des Sciences, Serie II. Sciences de la Terre et des Planetes, 320(11), 1055-1061.

Morrice, M. G., Jezek, P. A., Gill, J. B., Whitford, D. J. and Monoarfa, M., 1983. An introduction to the Sangihe Arc: Volcanism accompanying arcarc collision in the Molucca Sea, Indonesia. Journal of Volcanology and Geothermal Research, 19, 135-165.

Purnamaningsih, Sukarna, D. and Panggabean, H., 1994. The geology mineral and energy resources of northern West Sulawesi. Proceedings of the 31<sup>st</sup> Annual Session of the Coordinating Committee for Coastal and Offshore Geoscience Programmes in East and Southeast Asia (CCOP), 143-158.









